

# Public Safety Communications Common Status Codes for Data Exchange



www.apcointl.org



#### APCO ANS 1.116.1-2015

Standard written by the APCO 9-1-1 Emerging Technologies Committee. Standard approved by the Standards Development Committee on September 13, 2014 and received final approval by the American National Standards Institute on April 7, 2015.

**Abstract:** This candidate standard provides a standardized list of status codes that can be used by emergency communications and public safety stakeholders when sharing incident related information.

**Keywords:** PSAP, Incident, status code, emergency communications, CAD, Computer Aided Dispatch, Incident types, nature code, dispatch, public safety answering point, interoperability, unit status





#### **Table of Contents**

FOREV	WORD*	4		
Аски	ACKNOWLEDGEMENTS <sup>*</sup>			
Lette	Letter from the Chair of the 9-1-1 Emerging Technologies Committee			
Acro	NYMS AND ABBREVIATIONS <sup>*</sup>	10		
Ch	Chapter 1: Introduction			
1.1	Scope	11		
1.2	Purpose	11		
1.3	Definitions	12		
Ch	Chapter 2: Status Code Mapping Spreadsheet			
2.1	STATUS CODE MATRIX FORMAT	12		
2.2	Status Code Matrix	12		

\*Informative material and not a part of this American National Standard (ANS)



### Foreword\*

APCO International is the world's largest organization of public safety communications professionals. It serves the needs of public safety communications practitioners worldwide - and the welfare of the general public as a whole - by providing complete expertise, professional development, technical assistance, advocacy and outreach.

The 2014 - 2015 APCO International Board of Directors:

John W. Wright, President Brent Lee, First Vice President Cheryl Greathouse, Second Vice President Georggina Smith, Immediate Past President Derek Poarch, Ex-Officio

APCO International standards are developed by APCO committees, projects, task forces, work-groups, and collaborative efforts with other organizations coordinated through the APCO International Standards Development Committee (SDC). Members of the committees are not necessarily members of APCO. Members of the SDC are not required to be APCO members. All members of APCO's committees, projects, and task forces are subject matter experts who volunteer and are not compensated by APCO. APCO standards activities are supported by the Communications Center & 9-1-1 Services Department of APCO International.

For more information regarding APCO International and APCO standards please visit: www.apcointl.org www.apcostandards.org



APCO American National Standards (ANS) are voluntary consensus standards. Use of any APCO standard is voluntary. All standards are subject to change. APCO ANS are required to be reviewed no later than every five years. The designation of an APCO standard should be reviewed to ensure you have the latest edition of an APCO standard, for example:

APCO ANS 3.101.1-2007 = 1- Operations, 2- Technical, 3-Training

APCO ANS 3.101.1-2007 = Unique number identifying the standard

APCO ANS 3.101.1-2007 = The edition of the standard, which will increase after each revision

APCO ANS 3.101.1-2007 = The year the standard was approved and published, which may change after each revision.

The latest edition of an APCO standard cancels and replaces older versions of the APCO standard. Comments regarding APCO standards are accepted any time and can be submitted to <u>standards@apcointl.org</u>, if the comment includes a recommended change, it is requested to accompany the change with supporting material. If you have a question regarding any portion of the standard, including interpretation, APCO will respond to your request following its policies and procedures. ANSI does not interpret APCO standards; they will forward the request to APCO.

APCO International adheres to ANSI's Patent Policy. Neither APCO nor ANSI is responsible for identifying patents for which a license may be required by an American National Standard or for conducting inquiries into the legal validity or scope of any patents brought to their attention.

No position is taken with respect to the existence or validity of any patent rights within this standard. APCO is the sole entity that may authorize the use of trademarks, certification marks, or other designations to indicate compliance with this standard.

Permission must be obtained to reproduce any portion of this standard and can be obtained by contacting APCO International's Communications Center & 9-1-1 Services Department.



Requests for information, interpretations, and/or comments on any APCO standards should be submitted in writing addressed to:

APCO SDC Secretary, Communications Center & 9-1-1 Services APCO International 351 N. Williamson Blvd Daytona Beach, FL 32114 USA standards@apcointl.org



### Acknowledgements\*

Special recognition to the committee members that provided the pertinent research and vetting needed to successfully create this candidate standard. At the time this version was written, the 9-1-1 Emerging Technologies Status Codes Sub-Committee included the following membership:

Karen Allen, 9-1-1 Emerging Technologies Chair State of Arizona

Gary Bates Howard County Sheriff's Department, Indiana

Cory James NORCOM 9-1-1, Washington

Crystal McDuffie, RPL, ENP APCO International George Long II, *RPL*, *ORCEMS*, *Status Codes Subcommittee*, *Vice Chair* Willamette Valley Communications Center, Oregon

David Dixon, ENP Milford Fire Department, Connecticut

Keith Phillips Lebanon Police Department, Ohio

Steve Leese APCO International



#### **APCO Standards Development Committee (SDC)**

**Frank Kiernan, Chair** Meriden Emergency Communications, CT

Sherry Taylor, Vice Chair Indianapolis Fire Department Communications Division, IN

**Cory Ahrens** Washington State Criminal Justice Training Commission, WA

> **Dr. Daniel Devasirvatham** Battelle Energy Alliance, ID

Chris Fischer APCO Past President, WA

Mark J. Fletcher, ENP AVAYA, NJ

> Jason Friedburg EmergenSee, PA

**Debbie Gailbreath, RPL** Sarasota County Sheriff's Office, FL

> James Leyerle OnStar, MI

Nate McClure AECOM. VA

**Daniel Morelos** Tucson Airport Authority, AZ

> **Jerry Schlesinger** City of Portland, OR

Bradford S. Smith Framingham Fire Department, MA

Judith Weshinsky-Price Amarillo Emergency Communications Center, TX

Crystal McDuffie, ENP, RPL, Secretary APCO International

\*Informative material and not a part of this American National Standard (ANS)



### Letter from the Chair of the 9-1-1 Emerging Technologies Committee

On behalf of public safety communications professionals across the nation, the 9-1-1 Emerging Technologies Committee has diligently worked to research, review and write a standard identifying Common Status Codes in Emergency Communications. Status codes are used in all public safety disciplines to track public safety unit activity in a Computer Aided Dispatch (CAD) system, throughout the course of a work shift.

As agencies strive to achieve public safety data interoperability among disparate CAD systems it was recognized that a common set of Status Codes was needed. This standard identifies a method to allow multiple agencies to share public safety unit status updates among disparate CAD systems while continuing to use their agency specific Status Codes mapped to the Common Status Codes. Each agency is responsible for identifying how to map, or translate their agency specific Status Codes to the Common Status codes to ensure a clear understanding of the data that is being passed.

This standard also allows a translation mechanism in situations such as a multi-agency Fusion Center or Emergency Operations Center (EOC) deployment to allow those in charge of an incident or event to easily follow what is occurring throughout the incident without the need of a decoder ring to decipher each agencies individual Status Codes. Governance is outside the scope of this document, but it is recommended that specific agreements are researched, discussed in detail and in place, prior to CAD data sharing.

The 9-1-1 Emerging Technologies Committee, made up of a group of working public safety, communications professionals from various size agencies and backgrounds, compiled, reviewed and vetted the information for this standard. Many hours were volunteered by numerous subject matter experts to develop this standard. It is important to recognize the time and effort APCO members have dedicated to updating this important standard.

The final draft was then submitted to the APCO Standards Development Committee (SDC) to begin the APCO American National Standards (ANS) Process.

Sincerely,

Karen Allen 9-1-1 Emerging Technologies Chair



### Acronyms and Abbreviations\*

For the purposes of this ANS, the following definitions of acronyms apply:

ANS	American National Standard
ANSI	American National Standards Institute
APCO	Association of Public-Safety Communications Officials
CAD	Computer Aided Dispatch
EMS	Emergency Medical Services
EOC	Emergency Operations Center
FCC	Federal Communications Commission
IC	Incident Command
PSAP	Public Safety Answering Point



#### Chapter 1: Introduction

#### 1.1 Scope

Status codes are used by Public Safety Answering Points (PSAPs) and public safety to document the status of an officer, firefighter and/or EMS unit during an event (incidents). These codes typically involve the use of numeric, alpha or alphanumeric characters that are only meaningful to a specific agency or region. This standard provides a list of Common Status Codes for use by PSAPs and public safety when sharing incident information with disparate agencies and authorized stakeholders.

#### 1.2 Purpose

The ability to efficiently share incident information and the outcome between disparate PSAPs and other authorized agencies is a critical component of public safety interoperability. Each active unit must provide their status throughout their shift so that PSAPs and other units are aware of their activity. A list of Common Status Codes will therefore be necessary to facilitate effective unit activity exchange between PSAPs and other authorized agencies.

Creating a common status code does NOT mean that an agency must change the codes they use internally. The intent is to have each agency map their internal codes to the standardized list. The PSAP System Administrator will handle this code mapping, or translation process in the background within whatever call handling system is most appropriate for their operation. No change in the agency's internal process for unit status tracking will be necessary.

When incidents are shared externally, the standardized status codes will accompany an agency's internal code. If the agency receiving the unit status code is not familiar with the internal code, the standardized code will provide them with a general sense of how the situation was handled. The following is an example of how the Common Status code can be utilized:

- A Sergeant from PSAP A arrives on scene of a hostage situation being handled by PSAP A and PSAP B and declares himself Incident Commander.
  - The PSAP A dispatcher assigns the Sergeant a status of "IC" to indicate he has taken the role of Incident Commander at the scene (ex: P4 IC 400 W Baseline Rd).
- PSAP A's CAD system maps or translates "IC" to the applicable standardized status code of: *EstablishedCommand*
- PSAP A sends the status code to PSAP B
- PSAP B receives the following: P4 EstablishedCommand 400 W Baseline Rd



In the above example, PSAP B has the ability to know what the status of the Sergeant is for the incident they are working with PSAP A. Without the common status code, PSAP B may not understand what "IC" refers to.

It is also important to consider how Emergency Operations Centers (EOCs), Fusion Centers and other authorized agencies monitoring situational awareness/common operating pictures would make use of the standardized status codes. A PSAP's internal status codes may be difficult for emergency managers at a regional EOC to discern. During large scale incidents for example, it would be challenging if every involved agency's status codes were used. In these cases, standardized codes will provide a way for unit status to be tracked more efficiently.

#### 1.3 Definitions

- **1.3.1** Computer Aided Dispatch (CAD): Software to assist in initiating calls for service, dispatching, and maintaining the status of responding resources in the field.
- **1.3.2** Incident: Real world event such as a motor vehicle accident, structure fire or illness. Incidents may be declared by a PSAP or by a unit reporting from the field.
- **1.3.3** Mapping Public Safety agencies identify a list of status codes that are used within their own CAD system. This document allows the agency to assign (map) each of their agency specific status codes to a status code listed in the Status Code Matrix below.
- **1.3.4** Status Code: An acronym or other abbreviated combination of alphanumeric characters used to describe the status of an emergency unit. Status codes typically differ between disparate PSAPs and public safety agencies.
- **1.3.5** Translate When CAD to CAD data sharing occurs, the Common Status code is the conduit that allows each agency to understand the meaning of the other agency specific status codes.
- **1.3.6 Public Safety Answering Point (PSAP):** A facility equipped and staffed to receive emergency and non-emergency calls requesting public safety services via telephone and other communication devices. The FCC further defines a primary PSAP as a facility to which 9-1-1 calls are routed directly from the 9-1-1 Control Office. A secondary PSAP is defined as a facility to which 9-1-1 calls are transferred from a primary PSAP.

#### Chapter 2: Status Code Mapping Spreadsheet

#### 2.1 Status Code Matrix Format

The Status Code mapping spreadsheet is a Microsoft Excel® file that lists the codes to be used when sharing incident information between disparate agencies.

#### 2.2 Status Code Matrix

The following table contains the list of recommended standardized Status Codes to be used by agencies when sharing incident information:

# Public Safety Communications Common Status Codes For Data Exchange



Code / Mnemonic	Description	Extended Description
AcknowledgedTransmission	Acknowledge Transmission	Emergency unit acknowledged receipt of a dispatch / assignment
AlternateLocation	Alternate location	Emergency unit is at an alternate location or is enroute to, transporting to, arrived at, etc. when used in combination with another unit status
Arrived	Arrived	Emergency unit arrived at the incident location or at some other location
Assigned	Assigned	Emergency unit has been assigned to an incident or to some other event
AssignmentCancelled	Cancelled	Emergency unit's assignment to an activity has been cancelled. This is an observation useful for tracking unit history and incident progress
Available	Available	Emergency unit is available to be assigned to an incident
AvailableAtScene	At Scene Available	Emergency unit is assigned to an incident and on scene, but available to be dispatched to another incident
AvailableByPhone	Unit Available by Phone	Emergency unit available by phone only.
AvailableByRadio	Unit Available by Radio	Emergency unit available by radio only. Example: Out of the car and available only by voice communication over radio.
BacktoAssignedArea	Patrolling assigned area	Emergency unit is back to patrolling or covering its assigned area, beat, or district. This is an observation useful for tracking unit history
Backup	Backing up another unit	Emergency unit is backing up another emergency unit on an incident
BackUpEnroute	Backup Enroute	Emergency backup unit is enroute. This identifies that this is not the primary unit on scene.
BackupOnScene	Backup On Scene	Emergency backup unit is on scene. This identifies that this is not the primary unit on scene.
Break	On Break	Emergency unit is on a break
Busy	Busy	Emergency unit is busy and not available
CheckedIn	Checked In With Dispatcher	Emergency unit checked in with its dispatcher to advise OK. This is an observation useful for tracking unit history and incident progress.
Cleared	Cleared	Emergency unit cleared the incident location or some other location

# Public Safety Communications Common Status Codes For Data Exchange



DirectedPatrol	Community Policing	Emergency unit is involved in Community Oriented
		Policing (COP) or Problem Oriented Policing (POP) activities
Court	Court	Emergency unit is assigned to Court
CoveringAlternateArea	Covering Alternate Area	Emergency unit is patrolling, is en route to, arrived at, or is covering an alternate area, beat, or station.
Delayed	Delayed	Emergency unit is delayed from arriving at the incident's location or some other location
Departed	Departed location	Emergency unit has departed a location (e.g., Departed and Court)
Dispatched	Dispatched	Emergency unit has been dispatched to an incident or some other event
Enroute	Enroute	Emergency unit is enroute to an incident location or some other location
EquipmentIssues	Equipment Problems	Emergency unit is experiencing equipment issues
EstablishedCommand	Established Command	Identifies which emergency unit has established command of an incident
Event	Event	Emergency unit is enroute to, arrived at or at an event, (parade, concert, etc.)
FieldSobrietyTest	Field Sobriety Tests	Emergency unit conducting a field sobriety test. This status identifies that the unit is unavailable and will not be on the radio, as well as a heightened safety alert.
AtHospital	At Hospital	Emergency unit has arrived at, the hospital.
EnrouteToHospital	Enroute to Hospital	Emergency unit is enroute or transporting to the hospital
InService	In Service	Emergency unit is in service
InTheArea	In the Area	Emergency unit is in the area of an incident, checking the area, but not on scene. (ex: looking for a suspect that has left the scene)
Investigation	Investigating	Emergency unit is assigned to investigate an active or closed incident
AtJail	At Jail	Emergency unit has arrived at the jail/detention facility.
EnrouteToJail	Enroute to Jail	Emergency unit is enroute to or is transporting to the jail/detention facility.
Location	Location	A location other than the incident that is used with enroute, arrived, etc.
Meal	Meal break	Emergency unit is at lunch, dinner, breakfast or some

# Public Safety Communications Common Status Codes For Data Exchange



		other meal
Meeting	Meeting	Emergency unit is enroute to, arrived at or involved in a meeting.
MoveUp	Move up	Emergency unit is available from another station, not their home quarters.
OffDuty	Off Duty	Emergency Unit is off duty
OnDuty	On Duty	Emergency unit is on duty
OnScene	On Scene	Emergency Unit is located at the scene (location) of the incident
OutofService	Out of Service	Emergency unit is out of service
PatientContact	Patient Contact	Emergency responders made contact with a patient involved in the incident. This is an observation useful for tracking unit history and incident progress
PhoneReport	Phone Report	Unit busy taking a report by phone, not at the location indicated and possibly not available via radio.
Post	Post (location)	Emergency unit is enroute to, arrived at or is at a post.
PrimaryUnit	Change Primary Unit	Indicates the unit that is responsible for handling the incident report at an incident.
ResponderInitiatedEvent	Self-Initiated event	Emergency unit is on a self-initiated event that is not a traffic stop
RollCall	Roll Call	Emergency unit is enroute to or arrived at Roll Call.
Roster	Roster	Emergency unit has automatically been activated, but is not yet available and has not checked in
ShiftPending	End of Shift Pending	Emergency unit's end of shift is pending
Staging	Staging at Location	Emergency unit is at an incident's staging location.
Station	Station	Emergency unit is enroute to, transporting to, arrived at or at its headquarters, station, or substation.
TrafficStop	Traffic Stop	Emergency unit is on scene at a self-initiated traffic stop
Training	Training	Emergency unit and responders are participating in a training activity
Transporting	Transporting	Emergency unit is transporting or escorting a person or equipment to a location or destination
Unmanned	Unmanned	Emergency unit is not adequately staffed



\*Notes\*



351 N. Williamson Blvd. Daytona Beach, FL 32114 USA